TABLE 2—AIRPLANES EXCLUDED FROM § 26.21

Airplane model	Default LOV [flight cycles (FC) or flight hours (FH)]
Airbus:	
Caravelle	15,000 FC/24,000 FH
Avions Marcel Dassault:	
Breguet Aviation Mercure 100C	20,000 FC/16,000 FH
Boeing:	
Boeing 707 (-100 Series and -200 Series)	20,000 FC
Boeing 707 (-300 Series and -400 Series)	20,000 FC
Boeing 720	30,000 FC
Bombardier:	
CL-44D4 and CL-44J	20,000 FC
BD-700	15,000 FH
Bristol Aeroplane Company:	
Britannia 305	10,000 FC
British Aerospace Airbus, Ltd.:	
BAC 1-11 (all models)	85,000 FC
British Aerospace (Commercial Aircraft) Ltd.:	
Armstrong Whitworth Argosy A.W. 650 Series 101	20,000 FC
BAE Systems (Operations) Ltd.:	
BAe 146-100A (all models)	50,000 FC
BAe 146–200–07	50,000 FC
BAe 146–200–07 Dev	50,000 FC
BAe 146–200–11	50,000 FC
BAe 146–200–07A	47,000 FC
BAe 146–200–11 Dev	43,000 FC
BAe 146-300 (all models)	40,000 FC
Avro 146-RJ70A (all models)	40,000 FC
Avro 146-RJ85A and 146-RJ100A (all models)	50,000 FC
D & R Nevada, LLC:	
Convair Model 22	1,000 FC/1,000 FH
Convair Model 23M	1,000 FC/1,000 FH
deHavilland Aircraft Company, Ltd.:	
D.H. 106 Comet 4C	8,000 FH
Gulfstream:	
GV	40,000 FH
GV-SP	40,000 FH
llyushin Aviation Complex:	
IL-96T	10,000 FC/30,000 FH
Lockheed:	
300-50A01 (USAF C 141A)	20,000 FC

[Doc. No. FAA–2006–24281, 75 FR 69787, Nov. 15, 2010, as amended by Amdt. 129–51, 77 FR 30878, May 24, 2012; Amdt. 129–51A, 77 FR 55107, Sept. 7, 2012; Docket FAA–2018–0119, Amdt. 129–53, 83 FR 9174, Mar. 5, 2018]

§ 129.117 Flammability reduction means.

- (a) Applicability. Except as provided in paragraph (o) of this section, this section applies to U.S.-registered transport category, turbine-powered airplanes with a type certificate issued after January 1, 1958, that as a result of original type certification or later increase in capacity have:
- (1) A maximum type-certificated passenger capacity of 30 or more, or
- (2) A maximum payload capacity of 7,500 pounds or more.
- (b) New Production Airplanes. Except in accordance with §129.14, no foreign air carrier or foreign person may operate an airplane identified in Table 1 of

this section (including all-cargo airplanes) for which application is made for original certificate of airworthiness or export airworthiness approval after December 27, 2010 unless an Ignition Mitigation Means (IMM) or Flammability Reduction Means (FRM) meeting the requirements of §26.33 of this chapter is operational.

TABLE 1

Model—Boeing	Model—Airbus
747 Series 737 Series 777 Series 767 Series	A318, A319, A320, A321 Series A330, A340 Series